

Listing of the Claims

1-56 (Cancelled)

57. (Previously Presented) A device for promoting regeneration of an injured nerve, comprising:

a nerve encasement structure; and

a plurality of biodegradable guiding units, wherein at least a majority of the guiding units present an in vivo degradation time t_1 being less than a time t_c required for establishing regenerated contact between ends of an injured nerve using the device for said regeneration.

58. (Previously Presented) A device according to claim 57, wherein at least a major part of the nerve encasement structure presents an in vivo degradation time t_2 being longer than t_1 .

59. (Previously Presented) A device according to claim 58, wherein t_2 is longer than a time t_r required for the entire nerve regeneration process to be completed.

60. (Previously Presented) A device for promoting regeneration of an injured nerve comprising:

a biodegradable nerve encasement structure; and

a plurality of biodegradable guiding units,

wherein at least a majority of the guiding units present an in vivo degradation time t_1 , at least a major part of the nerve encasement structure presents an in vivo degradation time t_2 , t_2 being longer than t_1 and longer than a time t_r

required for the entire nerve regeneration process to be completed, and t_1 being less than t_r .

61. (Previously Presented) A device according to claim 60, wherein t_1 is less than a time t_c required for establishing regenerated contact between the ends of an injured nerve using the device for said regeneration.

62. (Previously Presented) A device according to claim 60, wherein the plurality of biodegradable guiding units are a plurality of biodegradable guiding fibres.

63. (Previously Presented) A device according to claim 60, wherein the material of the nerve encasement structure and the material of the guiding units each comprises at least one biodegradable polymer.

64. (Previously Presented) A device according to claim 63, wherein said at least one biodegradable polymer comprises at least one biodegradable polyester.

65. (Previously Presented) A device according to claim 64, wherein said at least one biodegradable polyester comprises PHB.

66. (Previously Presented) A device according to claim 64, wherein the material of the nerve encasement structure comprises PHB and the material of the guiding units comprises PHB.

67. (Previously Presented) A device according to claim 64, wherein the material of the nerve encasement structure comprises PHB and the material of the guiding units comprises PLGA.

68. (Previously Presented) A device according to claim 63, wherein said at least one polymer comprised in the material of the guiding units present an average molecular weight which is lower than an average molecular weight of said at least one polymer comprised in the material of the nerve encasement structure.

69. (Previously Presented) A nerve regeneration device according to claim 68, wherein the material of the nerve encasement structure and the material of the guiding units each comprises PHB having an average molecular weight within the range of from 50 000 to 500 000.

70. (Previously Presented) A device according to claim 69, wherein the PHB average molecular weight of the nerve encasement structure is within the range of from 100 000 to 250 000 and the PHB average molecular weight of the guiding units is within the range of from 50 000 to < 250 000.

71. (Previously Presented) A device according to claim 57, wherein the nerve encasement structure comprises a compressed non-woven sheet of biodegradable fibres having an essentially unidirectional fibre orientation.

72. (Previously Presented) A device according to claim 57, wherein the plurality of guiding units are biodegradable fibres in the form of a non-bonded fibre web having an essentially unidirectional fibre orientation.

73. (Previously Presented) A device according to claim 57, further comprising a hydrogel matrix.

74. (Previously Presented) A device according to claim 57, further comprising at least one biologically active substance or cell.

75. (Previously Presented) A device according to claim 74, wherein said at least one biologically active substance comprises a nerve growth promoting substance selected from the group consisting of nerve growth factor (NGF); brain-derived neurotrophic factor (BDNF); neurotrophin-3 (NT-3); neurotrophin-4 (NT-4); glial growth factor (GGF); insulin-like growth factor (IGF); platelet-derived growth factor (PDGF); fibroblast growth factor (FGF); transforming growth factor (TGF); and epidermal growth factor (EGF).

76. (Previously Presented) A device according to claim 74, wherein said at least one biologically active cell is selected from the group consisting of endothelial cells; fibroblasts; Schwann cells; olfactory ensheathing cells; stem cells or precursor cells thereof.

77. (Previously Presented) A device according to claim 57, wherein a guiding unit occupies $\leq 2.0\%$ by volume of the lumen formed by the nerve encasement structure.

78. (Previously Presented) A device according to claim 57, wherein each guiding unit of a majority of the guiding units has a cross-sectional dimension $\leq 50 \mu\text{m}$.

79. (Previously Presented) A device according to claim 78, wherein each guiding unit of a majority of the guiding units has a cross-sectional dimension $\leq 20 \mu\text{m}$.

80. (Previously Presented) A device according to claim 79, wherein each guiding unit of a majority of the guiding units has a cross-sectional dimension within the range of from 5 to 15 μm .

81. (Previously Presented) A kit for preparing a device for promoting regeneration of an injured nerve, said kit comprising:

a sheet; and

a plurality of biodegradable guiding units, at least a majority of the guiding units present an in vivo degradation time t_1 being less than a time t_c required for establishing regenerated contact between the ends of an injured nerve using the device for said regeneration.

82. (Previously Presented) A kit according to claim 81, wherein the sheet presents an in vivo degradation time t_2 being longer than t_1 .

83. (Previously Presented) A kit for preparing a device for promoting regeneration of an injured nerve, said kit comprising:

a biodegradable sheet; and

a plurality of biodegradable guiding units, wherein at least a majority of the guiding units present an in vivo degradation times t_1 , at least a major part of the sheet presents an in vivo degradation time t_2 , t_2 being longer than t_1 and longer than a time t_r required for the entire nerve regeneration process to be completed, and t_1 being less than t_r .

84. (Previously Presented) A kit according to claim 81, wherein the plurality of biodegradable guiding units are a plurality of biodegradable guiding fibres.

85. (Previously Presented) A kit according to claim 81, wherein the material of the sheet and the material of the guiding units each comprises at least one biodegradable polymer.

86. (Previously Presented) A kit according to claim 85, wherein said at least one biodegradable polymer comprises at least one biodegradable polyester.

87. (Previously Presented) A kit according to claim 86, wherein said at least one biodegradable polyester comprises PHB.

88. (Previously Presented) A kit according to claim 86, wherein the material of the sheet comprises PHB and the material of the guiding units comprises PHB.

89. (Previously Presented) A kit according to claim 86, wherein the material of the sheet comprises PHB and the material of the guiding unit comprises PLGA.

90. (Previously Presented) A kit according to claim 85, wherein said at least one polymer comprised in the material of the guiding units present an average molecular weight which is lower than an average molecular weight of said at least one polymer comprised in the material of the sheet.

91. (Previously Presented) A kit according to claim 90, wherein the material of the sheet and the material of the guiding units each comprises PHB having an average molecular weight within the range of from 50 000 to 500 000.

92. (Previously Presented) A kit according to claim 91, wherein the PHB molecular weight of the sheet is within the range of from 100 000 to 250 000 and the PHB molecular weight of the guiding units is within the range of from 50 000 to < 250 000.

93. (Previously Presented) A kit according to claim 81, wherein the sheet comprises a compressed non-woven sheet of biodegradable fibres having an essentially unidirectional fibre orientation.

94. (Previously Presented) A kit according to claim 81, wherein the plurality of guiding units are biodegradable fibres in the form of a non-bonded fibre web having an essentially unidirectional fibre orientation.

95. (Previously Presented) A kit according to claim 81, further comprising a hydrogel material.

96. (Previously Presented) A kit according to claim 95, wherein the hydrogel is in a dehydrated state.

97. (Previously Presented) A kit according to claim 81, further comprising at least one biologically active substance or cell.

98. (Previously Presented) A kit according to claim 97, wherein said at least one biologically active substance comprises a nerve growth promoting substance selected from the group consisting of nerve growth factor (NGF); brain-derived neurotrophic factor (BDNF); neurotrophin-3 (NT-3); neurotrophin-4 (NT-4); glial growth factor (GGF); insulin-like growth factor (IGF); platelet-derived growth factor (PDGF); fibroblast growth factor (FGF); transforming growth factor (TGF); and epidermal growth factor (EGF).

99. (Previously Presented) A kit according to claim 97, wherein said at least one biologically active cell is selected from the group consisting of endothelial cells; fibroblasts; Schwann cells; olfactory ensheathing cells; stem cells or precursor cells thereof.

100. (Previously Presented) A biodegradable sheet for preparing a device for promoting regeneration of an injured nerve, comprising:

at least one surface at least partly coated with a dehydrated hydrogel material; and

a plurality of biodegradable guiding units, wherein at least a majority of the guiding units presents an in vivo degradation time t_1 being less than a time t_c required for establishing regenerated contact between the ends of an injured nerve using device.

101. (Previously Presented) A biodegradable sheet for preparing a device for promoting regeneration of an injured nerve, comprising:

at least one surface at least partly coated with a dehydrated hydrogel material; and

a plurality of biodegradable guiding units, wherein at least a majority of the guiding units presents an in vivo degradation time t_1 , at least a major part

of the sheet presents an in vivo degradation time t_2 , t_2 being longer than t_1 and longer than a time t_r required for the entire nerve regeneration process to be completed
, and t_1 being less than t_r .

102. (Previously Presented) A biodegradable sheet according to claim 101, wherein the plurality of biodegradable guiding units are a plurality of biodegradable guiding fibres.

103. (Previously Presented) A biodegradable sheet according to claim 100, said dehydrated hydrogel material further comprising at least one biologically active substance or cell.

104. (Previously Presented) A method, comprising:
using a plurality of biodegradable guiding units for promoting regeneration of an injured nerve, wherein at least a majority of the guiding units presents an in vivo degradation time t_1 being less than a time t_c required for establishing regenerated contact between the ends of an injured nerve using the guiding units for said regeneration.

105. (Previously Presented) A method according to claim 104, wherein the plurality of biodegradable guiding units are a plurality of biodegradable guiding fibres.

106. (Previously Presented) A method according to claim 104, wherein the material of the guiding units comprises at least one biodegradable polymer.

107. (Previously Presented) A method according to claim 106, wherein said at least one biodegradable polymer comprises at least one biodegradable polyester.

108. (Previously Presented) A method according to claim 107, wherein said at least one biodegradable polyester comprises PHB.

109. (Previously Presented) A method according to claim 107, wherein said at least one biodegradable polyester comprises PLGA.

110. (Previously Presented) A method according to claim 108, wherein PHB has an average molecular weight within the range of from 50 000 to 250 000.

111. (Previously Presented) A method according to claim 104, wherein the guiding units are fibres in the form of a non-bonded fibre web having an essentially unidirectional fibre orientation.

112. (Previously Presented) A method for promoting regeneration of an injured nerve, comprising the step of applying, at said injured nerve, a device according to claim 57.